

F

E

D

C

B

A

RoHS Compliant

SYMBOL

REV.

REVISION

APPROVAL



DATE

A

新版圖紙

Winky

2015/04/27



NOTES:

1. MATERIAL:

HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0

TERMINAL: COPPER ALLOY

SOLDER PEG: COPPER ALLOY

2. FINISH:

TERMINAL:

CONTACT AREA: SEE CHARTS

SOLDERING AREA: SEE CHARTS

UNDER PL: NICKEL PLATING 50 μ" THK MIN.

3. THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS
PER DIRECTIVE 2002/95/EC FOR RoHS COMPLIANT.

KEY B	Au:30 μ"	DI15-NSEN567RLH
	Au:15 μ"	DI15-NSEN467RLH
	GOLD FLASH	DI15-NSEN067RLH
KEY ID	FINISH	PART NO.

DST-conn Tech. Co., Ltd.

COPYRIGHT RESERVED, PLEASE DO NOT COPY.

PART NAME

M. 2 CONN KEY ID "B" 4H 0.5mm

DRAWING

Winky

DWG. No.

DI15

PART NO.

DI15-NSEBx67RLH

CHECK

Roy

REV.

A



UNIT :

mm

TOLERANCE UNLESS
OTHERWISE SPECIFIEDX. X
X. XX
X. XXX

ANGLE

±2°

APPROVAL

John

DATE

2015/04/27

SCALE

1:1

PAGE

1 OF 4

F


E

D

C

B

A



RoHS Compliant	SYMBOL	REV.	REVISION	APPROVAL	DATE
		A	新版圖紙	Winky	2015/04/27

DST-conn Tech. Co., Ltd.

COPYRIGHT RESERVED, PLEASE DO NOT COPY.

PART NAME		M. 2 CONNECTOR KEY ID "B" 4H		DRAWING	Winky	DWG. No.	DI15
PART NO.		DI15-NSEBx67RLH		CHECK	Roy	REV.	A
	UNIT :	TOLERANCE UNLESS OTHERWISE SPECIFIED	X. X X. XX X. XXX	ANGLE	APPROVAL	DATE	2015/04/27
				±2°	SCALE	PAGE	3 OF 4

